


## Agilent CSA Spectrum Analyzer N1996A 3/6 GHz Spectrum Analyzer



- **Best Dynamic Range**
- **Easiest-to-use**
- **Most Flexibility**

The **Agilent CSA Spectrum Analyzer** is designed to meet your test and measurement needs no matter what they may be. We've delivered a new level of value for under \$10,000 (USD). With best-in-class dynamic-range, it will meet the demands of your application. The convenient size and portability will allow you to take the instrument with you wherever you go. It's a truly expandable analyzer and it's exceedingly easy to use!



- 96 dBc Dynamic Range
- TOI: +18 dBm
- DANL: -146 dBm in 10 Hz RBW



**Agilent Technologies**

## Features

- **Standard Features** – Limit masks, triggering, markers, multiple traces, detectors, etc...
- **Measurement Functions** – ACP, OBW, Stimulus/Response
- **Modern Connectivity** – USB ports, 100 base-T LAN, flash-card access
- **Ease-to-use** – Built-in help system, large screen display, auto-tune, and auto-scale functions

## Product Options

Frequency range	100 kHz to 3 GHz (Option 503) 100 kHz to 6 GHz (Option 506)
Preamplifier	100 kHz to 3 GHz (Option P03) 100 kHz to 6 GHz (Option P06)
Tracking generator	100 kHz to 3 GHz (Option TG3) 100 kHz to 6 GHz (Option TG6)

Specifications are preliminary and are subject to change.

For more information visit [www.agilent.com/find/csa](http://www.agilent.com/find/csa)

## Agilent Open

[www.agilent.com/find/open](http://www.agilent.com/find/open)

Agilent Open simplifies the process of connecting and programming test systems to help engineers design, validate and manufacture electronic products. Agilent offers open connectivity for a broad range of system-ready instruments, open industry software, PC-standard I/O and global support, which are combined to more easily integrate test system development.

## Agilent Email Updates

[www.agilent.com/find/emailupdates](http://www.agilent.com/find/emailupdates)

Get the latest information on the products and applications you select.

## Agilent Direct

[www.agilent.com/find/agilentdirect](http://www.agilent.com/find/agilentdirect)

Quickly choose and use your test equipment solutions with confidence.

[www.agilent.com/find/csa](http://www.agilent.com/find/csa)

For more information on Agilent Technologies' products, applications or services, please contact your local Agilent office. The complete list is available at:

[www.agilent.com/find/contactus](http://www.agilent.com/find/contactus)

### Phone or Fax

#### United States:

(tel) 800 829 4444  
(fax) 800 829 4433

#### Canada:

(tel) 877 894 4414  
(fax) 800 746 4866

#### China:

(tel) 800 810 0189  
(fax) 800 820 2816

#### Europe:

(tel) 31 20 547 2111

#### Japan:

(tel) (81) 426 56 7832  
(fax) (81) 426 56 7840

#### Korea:

(tel) (080) 769 0800  
(fax) (080) 769 0900

#### Latin America:

(tel) (305) 269 7500

#### Taiwan:

(tel) 0800 047 866  
(fax) 0800 286 331

#### Other Asia Pacific Countries:

(tel) (65) 6375 8100  
(fax) (65) 6755 0042

Email: [tm\\_ap@agilent.com](mailto:tm_ap@agilent.com)

Contacts revised: 05/27/05

Product specifications and descriptions in this document subject to change without notice.

© Agilent Technologies, Inc. 2005  
Printed in USA, September 30, 2005  
5989-3677EN

